

# DAS RICHTIGE ZUM RICHTIGEN ZEITPUNKT TUN

Hebammenforum 8/2023; 24: 12–16

- 1 Schlembach D, Annecke T, Girard T et al.: Peripartal Blutungen, Diagnostik und Therapie. Leitlinie der DGGG, OEGGG und SGGG (S2k-Level, AWMF Registernummer 015–063, August 2022); [www.awmf.org/leitlinien/detail/ll/015-063.html](http://www.awmf.org/leitlinien/detail/ll/015-063.html) (Zugriff 16.6.23)
- 2 Sheldon WR, Blum J, Vogel JP et al.: Postpartum haemorrhage management, risks, and maternal outcomes: findings from the World Health Organization Multicountry Survey on Maternal and Newborn Health. *BJOG* 2014;121 Suppl 1:5–13; DOI: 10.1111/1471-0528.12636
- 3 Reale SC, Easter SR, Xu X, Bateman BT et al.: Trends in Postpartum Hemorrhage in the United States From 2010 to 2014. *Anesth Analg* 2020;130(5):e119–e122; DOI: 10.1213/ANE.oooooooooooo0004424
- 4 Greene RA, McKernan J, Manning E et al.: Major obstetric haemorrhage: Incidence, management and quality of care in Irish maternity units. *Eur J Obstet Gynecol Reprod Biol* 2021;257:114–120; DOI: 10.1016/j.ejogrb.2020.12.021
- 5 Dupont C, Touzet S, Colin C et al.: Incidence and management of postpartum haemorrhage following the dissemination of guidelines in a network of 16 maternity units in France. *Int J Obstet Anesth* 2009;18(4):320–7; DOI: 10.1016/j.ijoa.2009.02.017
- 6 Knight M, Callaghan WM, Berg C et al.: Trends in postpartum hemorrhage in high resource countries: a review and recommendations from the International Postpartum Hemorrhage Collaborative Group. *BMC Pregnancy Childbirth* 2009;9:55; DOI: 10.1186/1471-2393-9-55
- 7 Bateman BT, Berman MF, Riley LE et al.: The epidemiology of postpartum hemorrhage in a large, nationwide sample of deliveries. *Anesth Analg* 2010;110(5):1368–73; DOI: 10.1213/ANE.0b013e3181d74898
- 8 Callaghan WM, Kuklina EV, Berg CJ: Trends in postpartum hemorrhage: United States, 1994–2006. *Am J Obstet Gynecol* 2010;202(4):353 e1–6; DOI: 10.1016/j.ajog.2010.01.011
- 9 Kramer MS, Berg C, Abenhaim H et al.: Incidence, risk factors, and temporal trends in severe postpartum hemorrhage. *Am J Obstet Gynecol* 2013;209(5):449 e1–7; DOI: 10.1016/j.ajog.2013.07.007
- 10 Mousa HA, Walkinshaw S: Major postpartum haemorrhage. *Curr Opin Obstet Gynecol* 2001;13(6):595–603; DOI: 10.1097/00001703-200112000-00008
- 11 Waterstone M, Bewley S, Wolfe C: Incidence and predictors of severe obstetric morbidity: case-control study. *BMJ* 2001;322(7294):1089–93; discussion 1093–4; DOI: 10.1136/bmj.322.7294.1089
- 12 AbouZahr C: Global burden of maternal death and disability. *Br Med Bull* 2003;67:1–11; DOI: 10.1093/bmb/lgd015
- 13 Hogberg U: The World Health Report 2005: »make every mother and child count« – including Africans. *Scand J Public Health* 2005;33(6):409–11; DOI: 10.1080/14034940500217037
- 14 Khan KS, Wojdyla D, Say L et al.: WHO analysis of causes of maternal death: a systematic review. *Lancet* 2006;367(9516):1066–1074; DOI: 10.1016/S0140-6736(06)68397-9
- 15 Ronsmans C, Graham WJ: Maternal mortality: who, when, where, and why. *The Lancet* 2006;368(9542):1189–1200; DOI: 10.1016/S0140-6736(06)69380-x
- 16 Roberts CL, Ford JB, Algert CS et al.: Trends in adverse maternal outcomes during childbirth: a population-based study of severe maternal morbidity. *BMC Pregnancy Childbirth* 2009;9:7; DOI: 10.1186/1471-2393-9-7
- 17 Cantwell R, Clutton-Brock T, Cooper G et al.: Saving Mothers' Lives: Reviewing maternal deaths to make motherhood safer: 2006–2008. The Eighth Report of the Confidential Enquiries into Maternal Deaths in the United Kingdom. *BJOG* 2011;118 Suppl 1:1–203; DOI: 10.1111/j.1471-0528.2010.02847.x
- 18 Haeri S, Dildy GA: 3rd. Maternal mortality from hemorrhage. *Semin Perinatol* 2012;36(1):48–55; DOI: 10.1053/j.semperi.2011.09.010
- 19 Grobman WA, Bailit JL, Rice MM et al.: Frequency of and factors associated with severe maternal morbidity. *Obstet Gynecol* 2014;123(4):804–10; DOI: 10.1097/AOG.oooooooooooo000173
- 20 American College of Obstetricians and Gynecologists, Committee on Practice Bulletins-Obstetrics: Practice Bulletin No. 183: Postpartum hemorrhage. *Obstet Gynecol* 2017;130(4):e168–e186; DOI: 10.1097/AOG.oooooooooooo0002351
- 21 Bouvier-Colle MH, Saucedo M, Deneux-Tharaux C, CNEMM: The confidential enquiries into maternal deaths, 1996–2006 in France: What consequences for the obstetrical care. *J Gynecol Obstet Biol Reprod (Paris)* 2011;40(2):87–102; DOI: 10.1016/j.jgyn.2010.12.007
- 22 Farquhar C, Sadler L, Masson V et al.: Beyond the numbers: classifying contributory factors and potentially avoidable maternal deaths in New Zealand, 2006–2009. *Am J Obstet Gynecol* 2011;205(4):331 e1–8; DOI: 10.1016/j.ajog.2011.07.044
- 23 Saucedo M, Deneux-Tharaux C, Bouvier-Colle MH, French National Experts Committee on Maternal Mortality: Ten years of confidential inquiries into maternal deaths in France, 1998–2007. *Obstet Gynecol 2013;122(4):752-760; DOI: 10.1097/AOG.0b013e31829fc38c*
- 24 Mavrides E, Allard S, Chandrarahan E et al.: Prevention and management of postpartum haemorrhage: green-top guideline No. 52. *BJOG* 2017;124(5):e106–e149; DOI: 10.1111/1471-0528.14178
- 25 Saucedo M, Bouvier-Colle MH, Blondel B et al.: Delivery hospital characteristics and postpartum maternal mortality: a national case-control study in France. *Anesth Analg* 2020;130(1):52–62; DOI: 10.1213/ANE.oooooooooooo0004290
- 26 Upadhyay K, Scholefield H: Risk management and medicolegal issues related to postpartum haemorrhage. *Best Pract Res Clin Obstet Gynaecol* 2008;22(6):1149–69; DOI: 10.1016/j.bpobgyn.2008.08.007
- 27 Driessen M, Bouvier-Colle MH, Dupont C et al.: Postpartum hemorrhage resulting from uterine atony after vaginal delivery: factors associated with severity. *Obstet Gynecol* 2011;117(1):21–31; DOI: 10.1097/AOG.0b013e318202c845
- 28 Bouwmeester FW, Bolte AC, van Geijn HP: Pharmacological and surgical therapy for primary postpartum hemorrhage. *Curr Pharm Des* 2005;11(6):759–73; DOI: 10.2147/1381612053381882
- 29 Schlembach D, Mörtl MG: Postpartale Hämorrhagie – Von der Definition über die Klinik zur Diagnose. *Speculum* 2010;28(1):5–9
- 30 Borovac-Pinheiro A, Pacagnella RC, Cecatti JG et al.: Postpartum hemorrhage: new insights for definition and diagnosis. *Am J Obstet Gynecol* 2018;219(2):162–168; DOI: 10.1016/j.ajog.2018.04.013
- 31 Drew T, Carvalho JCA, Subramanian C et al.: The association of shock index and haemoglobin variation with postpartum haemorrhage after vaginal delivery: a prospective cohort pilot study. *Int J Obstet Anesth* 2021;45:67–73. DOI: 10.1016/j.ijoa.2020.10.010
- 32 Belfort MA: Secondary (late) postpartum hemorrhage. Aug 03, 2021; [www.uptodate.com/contents/secondary-late-postpartum-hemorrhage?search=PPH&topicRef=6710&source=see\\_link](http://www.uptodate.com/contents/secondary-late-postpartum-hemorrhage?search=PPH&topicRef=6710&source=see_link) (Zugriff 17.6.23)
- 33 Main EK, Goffman D, Scavone BM et al.: National partnership for maternal safety. *Obstetrics & Gynecology* 2015;126(1):155–162; DOI: 10.1097/aog.oooooooooooo0000869
- 34 Begley CM, Gyte GM, Devane D et al.: Active versus expectant management for women in the third stage of labour. *Cochrane Database Syst Rev* 2015(3):CD007412; DOI: 10.1002/14651858.CD007412.pub4
- 35 Gizzo S, Patrelli TS, Gangi SD et al.: Which uterotonic is better to prevent the postpartum hemorrhage? Latest news in terms of clinical efficacy, side effects, and contraindications: a systematic review.

Reprod Sci 2013;20(9):1011–9; DOI: 10.1177/1933719112468951

36 Westhoff G, Cotter AM, Tolosa JE: Prophylactic oxytocin for the third stage of labour to prevent postpartum haemorrhage. Cochrane Database Syst Rev 2013 (10):CD001808; DOI: 10.1002/14651858.CD001808.pub2

37 Weeks A: The prevention and treatment of postpartum haemorrhage: what do we know, and where do we go to next? BJOG 2015;122(2):202–10; DOI: 10.1111/1471-0528.13098

38 Moertl MG, Friedrich S, Kraschl J et al.: Haemodynamic effects of carbetocin and oxytocin given as intravenous bolus on women undergoing caesarean delivery: a randomised trial. BJOG 2011;118(11):1349–56; DOI: 10.1111/j.1471-0528.2011.03022.x

39 Rath W: [Postpartum Haemorrhage (PPH): «too little is done too late»!]. Z Geburtshilfe Neonatol 2011; 215(5):177–81; DOI: 10.1055/s-0031-1291213